

RECEIVED
CENTRAL FAX CENTER

OCT 27 2006

AMENDMENTS TO THE CLAIMS

1-8. (Canceled)

9. (Currently amended) A computer-implemented method for dynamically verifying resource compatibility with an operating system, the method comprising:

obtaining a request to load a resource from an alternate resource module, wherein the alternate resource module corresponds to a selected language-specific interface of an operating system;

obtaining a first resource content of a default resource module from which the alternate resource module was localized;

obtaining a second resource content of a current default resource module;

determining whether the alternate resource module is compatible with the operating system based on the first resource content and the second resource content; and

loading the requested resource from the alternate resource module if the alternate resource module is compatible with the operating system, including when the first resource content is the same as the second resource content as determined from comparing a representation of each of the default resource module and the current default resource module, wherein the representation is a unique number, the unique number including a checksum calculated using an MD5-message digest algorithm, and if the alternate resource is incompatible, the method terminates execution.

10-12. (Canceled)

13. (Currently amended) A computer-implemented method for dynamically verifying resource compatibility with an operating system, the method comprising:

BEST AVAILABLE COPY

MSPT\16734AM2.DOC

-2-

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{LLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

CHRISTENSEN O'CONNOR

OCT. 27. 2006 4:59PM

NO. 1499 P. 5

obtaining a request to load a resource from an alternate resource module, wherein the alternate resource module corresponds to a selected language-specific interface of an operating system;

obtaining a first resource content of a default resource module from which the alternate resource module was localized;

obtaining a second resource content of a current default resource module;

obtaining version information of the alternate resource module;

obtaining version information of the current default resource module;

determining whether the alternate resource module is compatible with the operating system based on the first resource content and the second resource content, including comparing the version information of the alternate resource module and the current default resource module; and

loading the requested resource from the alternate resource module if the alternate resource module is compatible with the operating system, including loading the requested resource from the alternate resource module when the version information of the alternate resource module and the current default resource module are the same, and if the alternate resource is incompatible, the method terminates execution.

14. (Previously presented) The method of Claim 13, further comprising:

determining whether the current default resource module or alternate resource module has been updated if the respective version information is not the same;

obtaining compatibility information for the current default resource module and the alternate resource module if no update has occurred; and

loading the requested resource based on the compatibility information.

BEST AVAILABLE COPY

MSFT16734AM8.DOC

-3-

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{PC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

15. (Previously presented) The method of Claim 14, wherein loading the requested resource based on the compatibility information includes loading the requested resource from the alternate resource module if the compatibility information indicates that the current default resource module is compatible with the alternate resource module.

16. (Previously presented) The method of Claim 14, wherein loading the requested resource based on the compatibility information includes loading the requested resource from the current default resource module if the compatibility information indicates that the current default resource module is not compatible with the alternate resource module.

17. (Previously presented) The method of Claim 14, wherein determining whether the current default resource module or alternate resource module has been updated includes searching an information store holding compatibility information.

18. (Previously presented) The method of Claim 17, wherein determining whether the current default resource module or alternate resource module has been updated includes determining that the current default resource module or alternate resource module has not been updated if searching the information store holding compatibility information reveals an absence of compatibility information.

19. (Previously presented) The method of Claim 18, further comprising creating a record in the information store corresponding to the version information of the current default resource module and the alternate resource module if the current default resource module or alternate resource module has been updated.

20. (Original) The method of Claim 14, wherein the compatibility information is obtained from an information store used for tracking compatibility information.

21-24. (Canceled)

BEST AVAILABLE COPY

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{PC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

-4-

MSFT\16734\AMB.DOC

CHRISTENSEN OCONNOR

OCT. 27. 2006 4:59PM

NO. 1499 P. 7

25. (Currently amended) A computer-implemented method for dynamically verifying resource module compatibility with an operating system, wherein the resource modules include language-specific data such that a default resource module corresponds to a default interface language and one or more alternate resource modules correspond to a selected interface language, the method comprising:

obtaining a request to load a language-specific resource from an alternate resource module;

obtaining version information of the alternate resource module;

obtaining version information of a current default resource module;

comparing the version information of the alternate resource module and the current default resource module;

determining that the version information of the current default resource module and the alternate resource module are not the same;

obtaining a first resource content of a default resource module from which the alternate resource module was localized;

obtaining a second resource content of the current default resource module;

comparing the first resource content and the second resource content; and

loading the requested language-specific resource from the alternate resource module if the first resource content is the same as the second resource content, and if the first resource content is different from the second resource content, the method terminates execution.

26. (Previously presented) The method of Claim 25, further comprising determining that the version information of the alternate resource module and the current default resource module is the same, and loading the requested language-specific resource from the alternate resource module.

BEST AVAILABLE COPY

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{LLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

-5-

MSFT\15734\JMS.DOC

NO. 1499 P. 8

CHRISTENSEN OCONNOR

OCT. 27. 2006 4:59PM

27. (Previously presented) The method of Claim 47, further comprising obtaining compatibility information previously tracked for the version information of the current default resource module and the alternate resource module and, based on the compatibility information, loading the requested language-specific resource.

28. (Currently amended) A computer system for dynamically verifying that a resource module is compatible with an operating system, the computer system comprising:

a resource loader for loading a resource in a selected language-specific interface from a resource module in an operating system;

a current default resource module including at least one resource, wherein the current default resource module has a first resource content; and

an alternate resource module including one or more resources localized from a default resource module, wherein the default resource module has a second resource content from which the one or more resources included in the alternate resource module were localized;

wherein the resource loader loads the one or more resources from the alternate resource module when the alternate resource module is compatible with the operating system, including when the second resource content is the same as the first resource content by comparing checksums of the respective first and second resource content.

29. (Canceled)

30. (Previously presented) The computer system of Claim 28, wherein the first and second resource contents are represented as unique numbers.

31-33. (Canceled)

34. (Original) The computer system of Claim 28, wherein the operating system includes a plurality of alternate resource modules.

BEST AVAILABLE COPY

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESSSM
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

-6-

MSFTU16734AM3.DOC

NO. 1499 P. 9

OCT. 27. 2006 4:59PM CHRISTENSEN O'CONNOR

35. (Original) The computer system of Claim 28, wherein the alternate resource module is selected by the user.

36. (Previously presented) The computer system of Claim 28, further comprising a registry resource version database holding compatibility information of the current default resource module and the alternate resource module, wherein the resource loader utilizes the compatibility information to determine whether the alternate resource module is compatible with the operating system.

37-43. (Canceled)

44. (Currently amended) A computer-readable medium having computer-executable modules, comprising:

a resource loader module for loading a resource from a resource module in an operating system, wherein the resource is a language-specific interface;

a current default resource module including at least one resource having a first resource content;

an alternate resource module including one or more resources localized from a default resource module having a second resource content from which the one or more resources in the alternate resource module were localized;

a registry resource version database holding version information of the current default resource module, version information of the default resource module from which the one or more resources of the alternate resource module were localized, and compatibility information for the respective version information of the current default resource module and the alternate resource module; and

wherein the resource loader utilizes the respective version information to obtain the compatibility information to load the resource from the alternate resource module when the

BEST AVAILABLE COPY

MSFT\16734\AM3.DOC

-7-

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{LLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

OCT. 27. 2006 5:00PM CHRISTENSEN O'CONNOR

NO. 1499 P. 10

alternate resource module is determined to be compatible with the operating system, including when the second resource content is the same as the first resource content.

45-46. (Canceled)

47. (Currently amended) The method of Claim 25, further comprising tracking compatibility information by the version information of the alternate resource module and the current default resource module, the compatibility information indicating whether the first resource content is the same as the second resource content by comparing checksums of the respective first and second resource content.

48. (Previously presented) The method of Claim 27, wherein loading the requested language-specific resource based on the compatibility information includes loading the requested language-specific resource from the alternate resource module if the compatibility information indicates that the first resource content is the same as the second resource content, and loading the requested language-specific resource from the current default resource module if the compatibility information indicates that the first resource content is not the same as the second resource content.

BEST AVAILABLE COPY

MSFT\16734\MS.DOC

-8-

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{LLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

OCT. 27. 2006 5:00PM CHRISTENSEN OCONNOR

NO. 1499 P. 11